



Roofing Material (amended 7.28.2021)

Before starting any exterior upgrade, please submit an architectural approval form (and Dumpster approval form when applicable) to ensure that the approved materials are used and to keep the conformity of the neighborhood. Please allow FOURTEEN (14) days for approval before the start of the project.


SPECIFICS:


- New roofing shall be Tampko Heritage 30-Year Autumn Brown Blend or Owens Corning TruDefinition Duration in Brownwood (Pub. No. 10021055).
- Approval of new roof installations shall also require inspection (and repair if required) and cleaning of home's gutter system.
- All required flashing shall be brown in color to match existing Valleybrook color palette
- Dumpster Approval Form should be completed and approved prior to the start of the project.

Specifications listed are in accordance with Article 7 of the Valleybrook Declaration of Easements, Covenants and Restrictions as well as Rule 2.4 and 2.6 of the Village of Valleybrook Rules and Regulations.










The Beauty of Heritage®

- Rugged Shake-like Appearance
- Shadowtone Blended Shadow Line
- Double-layer Random-cut Design
- · Fiberglass Mat
- UL Listed for Class A Fire Resistance
- UL Evaluation Reports UL ER2919-01 and UL ER2919-02
- UL Classified for Wind Resistance: ASTM D 3161, Type 1, Class F and ASTM D 7158, Class H
- UL Classified in Accordance with ASTM D 3462 and ICC-ES Acceptance Criteria AC438
- Miami Dade County Approved
- Florida Building Code Approved: FL 1956
- Hip & Ridge Shingles Available



- Double-layer (common bond) area for fastening
- 2 Shadowtone feature adds dimension, depth of appearance and curb appeal
- Random-cut sawtooth design adds beauty to replicate a wood-shake look
- 4 Self-sealing strip of asphalt on bottom side
- Moisture-resistant weathering-grade asphalt coating
- Asphalt laminate adhesive
- Fiberglass mat

The Heritage cut application method helps to add speed and reduce waste—only two cuts are required to start five courses, and pieces that are 8 inches wide or longer can be worked back into the field. See Heritage application instructions for further details.

† Up to 130 mph when installed using High Wind Application.

* Provides for cleaning of discoloration caused by certain algae growth.

LIMITED WARRANTIES— IT PAYS TO COMPARE

Shingles begin to age as soon as they are exposed to nature. Buildings experience aging factors differently, so it is difficult to predict how long shingles will last. That's why TAMKO provides a Limited Warranty.

When comparing shingle warranties, it's not the length of the limited warranty that matters most. It's the length of the full start period.

Heritage shingles' Limited Warranty offers a 15-year Full Start Period—the critical period of time in which shingles and the labor to install them are covered at 100 percent (labor does not include tear-off, removal or disposal). Heritage Premium shingles' Limited Warranty offers a 20-year Full Start Period.

Go to tamko.com for details or call us at 1-800-641-4691.



HERITAGE Premium Shingles

- 50-year Limited Warranty
- 20-year Full Start Period
- 15-year Limited Warranty Coverage for Winds up to 110 mph†
- 10-year Algae Relief—Algae Cleaning Limited Warranty*



HERITAGE Shingles

- 30-year Limited Warranty
- 15-year Full Start Period
- 15-year Limited Warranty Coverage for Winds up to 110 mph†
- 10-year Algae Relief—Algae Cleaning Limited Warranty*



To discover the value of a 15- to 20-year Full Start Period, visit tamko.com/warrantycalculator



Building products for the professional.

Since 1944, building professionals and homeowners have looked to TAMKO® for building products. Today, we offer a wide range of building products, including 3-tab shingles, MetalWorks® steel shingles, waterproofing materials, ventilation products, EverGrain® and EverGrain® Envision® Composite Decking, and Marquee Railing® and Tam-Rail® Railing Systems.



PO. Box 1404 Joplin, MO 64802-1404 1-800-641-4691 tamko.com

Frederick

NOTE: TAMKO RECOMMENDS VIEWING AN ACTUAL ROOF INSTALLATION PRIOR TO FINAL COLOR SELECTION FOR THE FULL IMPACT OF COLOR BLENDING AND PATTERNS. Certain colors and products may not be available in your area. Information included in this brochure was current at the time of printing. To obtain a copy of the most current version of this brochure, visit us online at tamko.com or call us at 1-800-641-4691.

Front cover roof color is Weathered Wood. Inside spread roof color is Natural Timber. ©2015 TAMKO Building Products, Inc.

TAMKO, Heritage, America's Natural Colors, MetalWorks, EverGrain, Envision, Marquee Railing and Tam-Rail are registered trademarks and TAMKO Complete is a trademark of TAMKO Building Products, Inc. 71512 0715

